

S1000


eSSL
 Security at Fingertips



Feature	
Fingerprint Capacity	20,000
ID Card Capacity	20,000(optional)
Transaction Storage	2,00,000

PRODUCT HIGHLIGHTS

Technical Specification		
Storage Capacity	Fingerprint Templates	20000
	Card Capacity	20000 (Optional)
	Transaction Storage	2,00,000
	Card Reader	Yes
	CPU	32 bit microprocessor 800 MHz
Biometric	Fingerprint Sensor	500 DPI Optical Sensor
	FAR	$\leq 0.0001\%$
	FRR	$\leq 1\%$
	Identification speed	≤ 0.5 sec
	Algorithm Ver	10
Audio/Visual	Display	4.3-inch Touch Screen
	Keypad	NA
	LED Indicator	Green/Red
	Schedule Bell/Speaker	Mini Speaker
Communication	Communication	TCP/IP, USB-host
	Push data	NA
	Standard features	Work Code, DST,Scheduled-bell,Self-Service Query,
		Automatic Status Switch,T9 Input
Power & Environment	Power Supply	5V DC, 2 A
	Operating Temperature	0°C to 45°C
	Operating Humidity	20% -80%
	Dimension	190.0 x 147.0 x 53.8

PRODUCT HIGHLIGHTS

Access Control	Wiegand	NA	
	Relay	NA	
	Support Fire Alarm	NA	
	Door Sensor	NA	
	Anti Passback	NA	
	Door Bell	NA	
Exit Readers	Support exit readers	NA	
Optional	Battery	Yes	
	Card readers	ID, Mifare	
	Communication	NA	
	Printer	NA	
Compatibility		External Speaker output available (Optional)	
		External Bulb output available (Optional)	
Compatible Software & SDK		Smart office suite desktop	
		Etime track lite desktop	
		SDK for desktop applications	
		Supports 3rd Party Payroll/HRMS/ERP and Other applications	
Major Applications		Time & Attendance , Canteen management, School attedance,	
		Production Management, Gym & clubs	