


**CP- UVP-2010L10****1 MP 20x HDCVI IR PTZ Camera****CP PLUS**  
**CORAL****Main Features**

- 1/3" Exmor HQIS Pro Image sensor
- Powerful 20x Optical and 16x Digital zoom
- DWDR, Day/Night(ICR), Ultra DNR
- Up to 300 Presets, 8 Tour, 5 Pattern, 5 Auto scan
- Max 160°/s pan speed, 360° endless pan rotation
- IR Range of 100 Mtr., IP66
- Mobile Software: iCMOB, gCMOB, wCMOB
- CMS Software: KVMs Pro, vOptimus Pro



\*Product casing and specifications are subject to change without prior notice

# CP- UVP-2010L10

## 1 MP 20x HDCVI IR PTZ Camera



### Feature

Image Sensor  
Effective Pixels  
Video Output  
S/N Ratio  
Minimum Illumination  
Focal Length  
White Balance  
Focus Control  
Close Focus Distance  
Angle of View  
Electronic Shutter  
AGC control  
Back Light Compensation  
Optical Zoom  
Digital Zoom  
Pan Travel  
Tilt Travel  
Presets  
Preset Speed  
Privacy Masking  
Special Features  
Power up Action  
Idle Motion  
Time Task  
Day/Night: IR Cut Filter  
Video Compression  
Video Streaming  
Networking  
Protocols  
Max Remote Users  
Operating Temperature  
Smart Phone

### Specification

1/3" Exmor HQIS Pro  
1280(H) x 960(V), 1.3Megapixels  
1 channel BNC HDCVI high definition video output  
More than 50dB  
Color: 0.05Lux@F1.4, B/W: 0.005Lux@F1.4, 0Lux (IR on)  
4.7mm~94mm  
Auto, ATW, Indoor, Outdoor, Manual  
Auto / Manual  
100mm~ 1000mm  
H: 54.1° ~ 3.2°  
1/1 ~ 1/30,000s  
Auto / Manual  
BLC / HLC / DWDR  
20x  
16x  
360° endless, Pan Speed: 0.1° ~ 160°/sec  
-15° ~ 90°, Tilt Speed: 0.1° ~ 60°/sec  
300  
Pan:160° /s;Tilt: 80° /s  
Up to 24 areas  
IR Range upto 100m, Up to 300 Presets, 8 Tour, 5 Pattern, 5 Auto scan  
Auto restore to previous PTZ and lens status after power failure  
Activate Preset/ Pan/ Scan/ Tour/ Pattern if there is no command in the specified period  
Auto activation of Prese/Pan/Scan/Tour/Pattern by preset-time  
Auto(ICR) / Color / B/W  
H.264 / MJPEG  
25/30fps@720P  
RS485  
Pelco-P/D (Auto recognition)  
20 users  
-40°C ~ 70°C / Less than 90% RH  
iPhone, iPad, Android, Windows Phone

# CP- UVP-2010L10

1 MP 20x HDCVI IR PTZ Camera



## Feature

Weather Proof Standard

Dimension

Weight

Power Source

Power Consumption

## Specification

IP66

Φ202.0(mm) x 325.0(mm)

4.0kg

AC24V/1.5A

15W, 24W(IR on, Heater on)